



Recombinant Human Type 2 lactosamine alpha-2,3-sialyltransferase (ST3GAL6), partial

Product Code	CSB-EP2282HU
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	Q9Y274
Form	Liquid or Lyophilized powder
Storage Buffer	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	>85% (SDS-PAGE)
Sequence	TNVYWVAPVEMKRRNKIQPCLSKPAFASLLRFHQFHPFLCAADFRKIASLYGS DKFDLPYGMRTSAEYFRLALSKLQSCDLDFEDNIPCKKCVVVGNGGV LKNKT LGEKIDSYDVIIRMNNGPVLGHEEEVGRRTTFRFLYFESVFS DPIHNDPNTTVIL TAFKPHDLRWLLELLMGDKINTNGFWKKPALNLIYKPYQIRILD PFIIRTAAYELL HFPKVFPKNQKPKHPTTGIIAITLAFYICHEVHLAGFKYNFSDLK SPLHYG NAT MSLMNKNAYHNVTAEQLFLKDII EKNLVINLTQD
Source	E.coli
Target Names	ST3GAL6
Expression Region	26-331
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Partial
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
Shelf Life	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.