



# Recombinant Escherichia coli O8 Aspartate--ammonia ligase (asnA)

<b>Product Code</b>	CSB-EP487680E00-B
<b>Storage</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
<b>Uniprot No.</b>	B7M5A0
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Escherichia coli O8 (strain IA11)
<b>Purity</b>	>85% (SDS-PAGE)
<b>Sequence</b>	MKTAYIAKQR QISFVKSHFS RQLEERLGLI EVQAPILSRV GDGTQDNLSG CEKAVQVKVK ALPDAQFEVV HSLAKWKRQT LGQHDFSAGE GLYTHMKALR PDEERLSPLH SVYVDQWDWE RVMGDGERQF STLKSTVEAI WAGIKATEAA VSEEFGLAPF LPDQIHVHS QELLSRYPDL DAKGRERIAI KDLGAVFLVG IGGKLSDGHR HDVRAPDYDD WSTPSELGHA GLNGDILVWN PVLEDAFELS SMGIRVDADT LKHQLALTGD EDRLQLEWHQ ALLRGEMPQT IGGGIGQSRL TMLLLQLPHI GQVQCGVWPA AVRESVPSLL
<b>Source</b>	E.coli
<b>Target Names</b>	asnA
<b>Protein Names</b>	Recommended name: Aspartate--ammonia ligase EC= 6.3.1.1 Alternative name(s): Asparagine synthetase A
<b>Expression Region</b>	1-330
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	full length protein
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
<b>Shelf Life</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.