



# Recombinant Human Replication factor C subunit 4 (RFC4)

<b>Product Code</b>	CSB-EP019591HU
<b>Storage</b>	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
<b>Uniprot No.</b>	P35249
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	≥85% (SDS-PAGE)
<b>Sequence</b>	MQAFLKGTSI STKPPLTKDR GVAASAGSSG ENKKAKPVPW VEKYRPKCVD EVAFQEEVVA VLKKSLEGAD LPNLLFYGPP GTGKTSTILA AARELFGPEL FRLRVLELNA SDERGIQVVR EKVKNFAQLT VSGSRSDGKP CPPFKIVILD EADSM TSAAQ AALRRTMEKE SKTTRFCLIC NYVSRIIEPL TSRC SKFRFK PLSDKIQQQR LLDI AKKENV KISDEGIAYL VKVSEGDLRK AITFLQSATR LTGGKEITEK VITDIAGVIP AEKIDGVFAA CQSGSFDKLE AVVKDLIDEG HAATQLVNQL HDVVVENNLS DKQKSIITEK LAEVDKCLAD GADEHLQLIS LCATVMQQLS QNC
<b>Source</b>	E.coli
<b>Target Names</b>	RFC4
<b>Protein Names</b>	Recommended name: Replication factor C subunit 4 Alternative name(s): Activator 1 37 kDa subunit Short name= A1 37 kDa subunit Activator 1 subunit 4 Replication factor C 37 kDa subunit Short name= RF-C 37 kDa subunit Shor
<b>Expression Region</b>	1-363
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full length protein
<b>Target Details</b>	The elongation of primed DNA templates by DNA polymerase delta and DNA polymerase epsilon requires the accessory proteins proliferating cell nuclear antigen (PCNA) and replication factor C (RFC). RFC, also named activator 1, is a protein complex consisting of five distinct subunits of 140, 40, 38, 37, and 36 kD. This gene encodes the 37 kD subunit. This subunit forms a core complex with the 36 and 40 kDa subunits. The core complex possesses DNA-dependent ATPase activity, which was found to be stimulated by PCNA in an in vitro system. Alternatively spliced transcript variants encoding the same protein have been reported.
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final



concentration of glycerol is 50%. Customers could use it as reference.

---

**Shelf Life**

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.