






HARS2 Antibody

Product Code	CSB-PA010138HA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P49590
Immunogen	Recombinant Human Probable histidinetRNA ligase, mitochondrial protein (34-506AA)
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Storage Buffer Purification Method	
	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified
Purification Method Isotype	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG
Purification Method Isotype Clonality	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Probable histidinetRNA ligase, mitochondrial (EC 6.1.1.21) (HistidinetRNA
Purification Method Isotype Clonality Alias	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Probable histidinetRNA ligase, mitochondrial (EC 6.1.1.21) (HistidinetRNA ligase-like) (Histidyl-tRNA synthetase) (HisRS), HARS2, HARSL HARSR HO3
Purification Method Isotype Clonality Alias Immunogen Species	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Probable histidinetRNA ligase, mitochondrial (EC 6.1.1.21) (HistidinetRNA ligase-like) (Histidyl-tRNA synthetase) (HisRS), HARS2, HARSL HARSR HO3 Homo sapiens (Human)





Western blot

All lanes: HARS2 antibody at 2µg/ml + Mouse

kidney tissue Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution


Predicted band size: 57, 55 kDa Observed band size: 57 kDa



CUSABIO TECHNOLOGY LLC







Immunohistochemistry of paraffin-embedded human breast cancer using CSB-PA010138HA01HU at dilution of 1:100