




# ioIG Antibody

<b>Product Code</b>	CSB-PA329675HA01BRG
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	P26935
<b>Immunogen</b>	Recombinant Bacillus subtilis Inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase protein (1-344AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Bacillus subtilis
<b>Tested Applications</b>	ELISA, WB; Recommended dilution: WB:1:1000-1:5000
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
<b>Purification Method</b>	>95%, Protein G purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase (EC 1.1.1.18) (EC 1.1.1.369) (Myo-inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase) (MI 2-dehydrogenase/DCI 3-dehydrogenase), ioIG, idh
<b>Immunogen Species</b>	Bacillus subtilis
<b>Research Area</b>	Others
<b>Target Names</b>	ioIG

## Image



### Western blot

All lanes: ioIG antibody at 2µg/ml + Recombinant Inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase protein 0.1µg  
 Secondary  
 Goat polyclonal to rabbit IgG at 1/10000 dilution  
 Predicted band size: 39 kDa  
 Observed band size: 39 kDa

## Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.