



Recombinant Human Prostaglandin G/H synthase 2 (PTGS2), partial


Product Code	CSB-EP018986HU
Relevance	Converts arachidonate to prostaglandin H2 (PGH2), a committed step in prostanoid synthesis. Constitutively expressed in some tissues in physiological conditions, such as the endothelium, kidney and brain, and in pathological conditions, such as in cancer. PTGS2 is responsible for production of inflammatory prostaglandins. Up-regulation of PTGS2 is also associated with increased cell adhesion, phenotypic changes, resistance to apoptosis and tumor angiogenesis. In cancer cells, PTGS2 is a key step in the production of prostaglandin E2 (PGE2), which plays important roles in modulating motility, proliferation and resistance to apoptosis.
Abbreviation	Recombinant Human PTGS2 protein, partial
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	P35354
Alias	Cyclooxygenase-2 ;COX-2;PHS IIProstaglandin H2 synthase 2 ;PGH synthase 2 ;PGHS-2;Prostaglandin-endoperoxide synthase 2
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	≥ 90% as determined by SDS-PAGE.
Sequence	ANPCCSHPCQNRGVCMSVGFQDYKCDCTRTGFYGENCSTPEFLTRIKLFLKP TPNTVHYILTHFKGFVN VNNIPFLRNAIMSYVLTSRSHLIDSPPTYNADYGYK SWEAFSNLSYYTRALPPVPDDCPTPLGVKGGKQLPDSNEIVEKLLLRRKFIPDP QGSNMMFAFFAQHFTHQFFKTDHKRGAFTNGLGHGVDLNHIYGETLARQRK LRLFKDGKMKYQIIDGEMYPPTVKDTQAEMIPPQVPEHLRFVAVGQEVFGLVP GLMMYATIWLREHNRVCDVLKQEHPEWGDEQLFQTSRLILIGETIKIVIEDYVQ HLSGYHFKLKFDPPELLFNKQFQYQNRIAAEFNTLYHWHPLLPDTFQIHDQKYN YQQFIYNN SILLEHGITQFVESFTRQIAGR VAGGRNVP PAVQKVSQASIDQSRQ MKYQSFNEYRKR FMLKPYESFEELTGEKEMSAELEALYGDIDAVELYPALLVE KPRPDAIFGETMVEVGAPFSLKGLMGNVICSPAYWKPSTFGGEVGFQIINTASI QSLICNNVKGCPFTSFSVPDPELIKVTINASSRSGLDDINPTVLLKERS
Research Area	Metabolism
Source	E.coli
Target Names	PTGS2
Expression Region	18-601aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at




4°C for up to one week.

Tag Info	N-terminal 6xHis-tagged
Mol. Weight	70.9kDa
Protein Length	Partial


Image



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.



Based on the SEQUEST from database of E.coli host and target protein, the LC-MS/MS Analysis result of CSB-EP018986HU could indicate that this peptide derived from E.coli-expressed Homo sapiens (Human) PTGS2.



Based on the SEQUEST from database of E.coli host and target protein, the LC-MS/MS Analysis result of CSB-EP018986HU could indicate that this peptide derived from E.coli-expressed Homo sapiens (Human) PTGS2.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.