



# ABCA2 Antibody

|                            |   |
|----------------------------|---|
| <b>Product Code</b>        | CSB-PA001038GA01HU  |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.   |
| <b>Uniprot No.</b>         | Q9BZC7  |
| <b>Immunogen</b>           | Human ABCA2   |
| <b>Raised In</b>           | Rabbit  |
| <b>Species Reactivity</b>  | Human,Mouse,Rat   |
| <b>Tested Applications</b> | ELISA,WB  |
| <b>Storage Buffer</b>      | PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3. -20°C, Avoid freeze / thaw cycles.   |
| <b>Purification Method</b> | Antigen Affinity purified   |
| <b>Isotype</b>             | IgG   |
| <b>Alias</b>               | ATP-binding cassette, sub-family A (ABC1), member 2;ABCA2;ABC2;MGC129761 ;  |
| <b>Product Type</b>        | Purified Rabbit Anti Human,Mouse PolyClonal Antibody  |
| <b>Immunogen Species</b>   | Homo sapiens (Human)  |
| <b>Target Names</b>        | ABCA2   |
| <b>Target Details</b>      | <p>The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intracellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the ABC1 subfamily. Members of the ABC1 subfamily comprise the only major ABC subfamily found exclusively in multicellular eukaryotes. This protein is highly expressed in brain tissue and may play a role in macrophage lipid metabolism and neural development. Two transcript variants encoding different isoforms have been found for this gene.</p> |