

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

ELK1 Antibody

cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced		
Uniprot No.P19419ImmunogenHuman ELK1Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WBStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / th cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Product Code	CSB-PA007603GA01HU
ImmunogenHuman ELK1Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WBStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / th cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WBStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / th cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Uniprot No.	P19419
Species ReactivityHuman,Mouse,RatTested ApplicationsELISA,WBStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / th cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Immunogen	Human ELK1
Tested ApplicationsELISA,WBStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / th cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Raised In	Rabbit
Storage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / th cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Species Reactivity	Human,Mouse,Rat
cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Tested Applications	ELISA,WB
IsotypeIgGAliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Storage Buffer	PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.
AliasELK1, member of ETS oncogene family;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Purification Method	Antigen Affinity purified
Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Isotype	IgG
Immunogen SpeciesHomo sapiens (Human)Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Alias	ELK1, member of ETS oncogene family;
Target NamesELK1Target DetailsThis gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Product Type	Purified Rabbit Anti human PolyClonal Antibody
Target Details This gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Immunogen Species	Homo sapiens (Human)
ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is nuclear target for the ras-raf-MAPK signaling cascade. Alternatively spliced	Target Names	ELK1
	Target Details	ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum reponse element in the promoter of the c-fos proto-oncogene. This protein is a

1