

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

NUDT21 Antibody

| cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes the | | |
|---|---------------------|---|
| Uniprot No.O43809ImmunogenHuman NUDT21Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WB,IHC,IFStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / freques.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Product Code | CSB-PA016170GA01HU |
| ImmunogenHuman NUDT21Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WB,IHC,IFStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / 1 cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WB,IHC,IFStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Uniprot No. | O43809 |
| Species ReactivityHuman,Mouse,RatTested ApplicationsELISA,WB,IHC,IFStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Immunogen | Human NUDT21 |
| Tested ApplicationsELISA,WB,IHC,IFStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Raised In | Rabbit |
| Storage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Species Reactivity | Human, Mouse, Rat |
| cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Tested Applications | ELISA,WB,IHC,IF |
| IsotypeIgGAliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Storage Buffer | PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles. |
| Aliasnudix (nucleoside diphosphate linked moiety X)-type motif 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes th | Purification Method | Antigen Affinity Purified |
| 21;NUDT21;CFIM25;CPSF5;DKFZp686H1588 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesNUDT21Target DetailsThis protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes the | lsotype | IgG |
| Immunogen Species Homo sapiens (Human) Target Names NUDT21 Target Details This protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes the | Alias | |
| Target Names NUDT21 Target Details This protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes the steps in the assembly of the processing factors. This gene encodes the steps in the assembly of the processing factors. This gene encodes the steps in the processing factors. | Product Type | Purified Rabbit Anti human PolyClonal Antibody |
| Target Details This protein is one subunit of a cleavage factor required for 3 RNA cleavage polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes the steps in the assembly of the processing factors. This gene encodes the steps in the processing factors. This gene encodes the steps in the processing factors. This gene encodes the processing factors. | Immunogen Species | Homo sapiens (Human) |
| polyadenylation processing. The interaction of the protein with the RNA is o the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes the | Target Names | NUDT21 |
| | Target Details | This protein is one subunit of a cleavage factor required for 3 RNA cleavage and polyadenylation processing. The interaction of the protein with the RNA is one of the earliest steps in the assembly of the 3 end processing complex and facilitates the recruitment of other processing factors. This gene encodes the 25kD subunit of the protein complex, which is composed of four polypeptides. |

1