

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

STK10 Antibody

cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAlias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase kinases. T can associate with and phosphorylate polo-like kinase 1, and over		
Uniprot No.O94804ImmunogenHuman STK10Species ReactivityHuman,MouseTested ApplicationsELISAStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAlias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesSTK10Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase 1, and over	Product Code	CSB-PA022832GA01HU
ImmunogenHuman STK10Species ReactivityHuman,MouseTested ApplicationsELISAStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAlias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase kinases. T can associate with and phosphorylate polo-like kinase 1, and over	torage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Species ReactivityHuman,MouseTested ApplicationsELISAStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAlias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase 1, and over	Iniprot No.	O94804
Tested ApplicationsELISAStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAlias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase 1, and over	nmunogen	Human STK10
Storage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAlias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase 1, and over	pecies Reactivity	Human,Mouse
cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAlias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase kinases. T can associate with and phosphorylate polo-like kinase 1, and over	ested Applications	ELISA
IsotypeIgGAlias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase kinases. T can associate with and phosphorylate polo-like kinase 1, and over	itorage Buffer	PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.
Alias16kd;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase kinases. T can associate with and phosphorylate polo-like kinase 1, and over	Purification Method	Antigen Affinity Purified
Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesSTK10Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase kinases. T can associate with and phosphorylate polo-like kinase 1, and over	sotype	IgG
Immunogen Species Homo sapiens (Human) Target Names STK10 Target Details This gene encodes a member of the Ste20 family of serine/threonikinases, and is similar to several known polo-like kinase kinases. The can associate with and phosphorylate polo-like kinase 1, and over	lias	16kd;
Target Names STK10 Target Details This gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase kinases. The can associate with and phosphorylate polo-like kinase 1, and over the several known polo-	Product Type	Purified Rabbit Anti human PolyClonal Antibody
Target DetailsThis gene encodes a member of the Ste20 family of serine/threoni kinases, and is similar to several known polo-like kinase kinases.can associate with and phosphorylate polo-like kinase 1, and over	nmunogen Species	Homo sapiens (Human)
kinases, and is similar to several known polo-like kinase kinases. The can associate with and phosphorylate polo-like kinase 1, and over	arget Names	STK10
	arget Details	This gene encodes a member of the Ste20 family of serine/threonine protein kinases, and is similar to several known polo-like kinase kinases. The protein can associate with and phosphorylate polo-like kinase 1, and overexpression of a kinase-dead version of the protein interferes with normal cell cycle progression. The kinase can also negatively regulate interleukin 2 expression in T-cells via the mitogen activated protein kinase kinase 1 pathway.

1