



WASL Antibody

| | |
|----------------------------|--|
| Product Code | CSB-PA025973GA01HU |
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | O00401 |
| Immunogen | Human WASL |
| Raised In | Rabbit |
| Species Reactivity | Human,Mouse,Rat |
| Tested Applications | ELISA,WB,IHC,IF |
| Storage Buffer | PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3. -20°C, Avoid freeze / thaw cycles. |
| Purification Method | Antigen Affinity purified |
| Isotype | IgG |
| Alias | Wiskott-Aldrich syndrome-like;WASL;DKFZp779G0847;MGC48327;N-WASP;NWASP ; |
| Product Type | Purified Rabbit Anti human PolyClonal Antibody |
| Immunogen Species | Homo sapiens (Human) |
| Target Names | WASL |
| Target Details | <p>The Wiskott-Aldrich syndrome (WAS) family of proteins share similar domain structure, and are involved in transduction of signals from receptors on the cell surface to the actin cytoskeleton. The presence of a number of different motifs suggests that they are regulated by a number of different stimuli, and interact with multiple proteins. Recent studies have demonstrated that these proteins, directly or indirectly, associate with the small GTPase, Cdc42, known to regulate formation of actin filaments, and the cytoskeletal organizing complex, Arp2/3. The WASL gene product is a homolog of WAS protein, however, unlike the latter, it is ubiquitously expressed and shows highest expression in neural tissues. It has been shown to bind Cdc42 directly, and induce formation of long actin microspikes.</p> |