

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com 🍙

XPO1 Antibody

thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also		
Uniprot No.O14980ImmunogenHuman XPO1Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WB,IHCStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Product Code	CSB-PA026221GA01HU
ImmunogenHuman XPO1Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WB,IHCStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WB,IHCStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Uniprot No.	O14980
Species ReactivityHuman,Mouse,RatTested ApplicationsELISA,WB,IHCStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Immunogen	Human XPO1
Tested ApplicationsELISA,WB,IHCStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Raised In	Rabbit
Storage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Species Reactivity	Human,Mouse,Rat
thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Tested Applications	ELISA,WB,IHC
IsotypeIgGAliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Storage Buffer	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.
Aliasexportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Purification Method	Antigen Affinity purified
Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesXPO1Target DetailsThis protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Isotype	IgG
Immunogen Species Homo sapiens (Human) Target Names XPO1 Target Details This protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Alias	exportin 1 (CRM1 homolog, yeast);XPO1;CRM1;DKFZp686B1823 ;
Target Names XPO1 Target Details This protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Product Type	Purified Rabbit Anti Human PolyClonal Antibody
Target Details This protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Immunogen Species	Homo sapiens (Human)
protein transport. Exportin 1 specifically inhibits the nuclear export of Rev a snRNAs. It is involved in the control of several cellular processes by control the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also	Target Names	XPO1
	Target Details	This protein mediates leucine-rich nuclear export signal (NES)-dependent protein transport. Exportin 1 specifically inhibits the nuclear export of Rev and U snRNAs. It is involved in the control of several cellular processes by controlling the localization of cyclin B, MPAK, and MAPKAP kinase 2. This protein also regulates NFAT and AP-1.

1