🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

## EWSR1 Antibody

CSB-PA007875GA01HU
Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Q01844
Human EWS
Rabbit
Human,Mouse,Rat
ELISA,WB
PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.
Antigen Affinity purified
IgG
Ewing sarcoma breakpoint region 1;EWSR1;EWS ;
Purified Rabbit Anti Human, Mouse PolyClonal Antibody
Homo sapiens (Human)
EWSR1
This gene encodes a multifunctional protein that is involved in various cellular processes, including gene expression, cell signaling, and RNA processing and transport. The protein includes an N-terminal transcriptional activation domain and a C-terminal RNA-binding domain. Chromosomal translocations between this gene and various genes encoding transcription factors result in the production of chimeric proteins that are involved in tumorigenesis. These chimeric proteins usually consist of the N-terminal transcriptional activation domain of this protein fused to the C-terminal DNA-binding domain of the transcription factor protein. Mutations in this gene, specifically a t(11;22)(q24;q12) translocation, are known to cause Ewing sarcoma as well as neuroectodermal and various other tumors. Alternative splicing of this gene results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 1 and 14.

1