

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

SMAD4 Antibody

CSB-PA021789GA01HU
Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Q13485
Human SMAD4
Rabbit
Human,Mouse,Rat
ELISA,WB
PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.
Antigen Affinity Purified
IgG
SMAD family member 4;SMAD4;DPC4;JIP;MADH4 ;
Purified Rabbit Anti human PolyClonal Antibody
Homo sapiens (Human)
SMAD4
This gene encodes a member of the Smad family of signal transduction proteins. Smad proteins are phosphorylated and activated by transmembrane serine-threonine receptor kinases in response to TGF-beta signaling. The product of this gene forms homomeric complexes and heteromeric complexes with other activated Smad proteins, which then accumulate in the nucleus and regulate the transcription of target genes. This protein binds to DNA and recognizes an 8-bp palindromic sequence (GTCTAGAC) called the Smad- binding element (SBE). The Smad proteins are subject to complex regulation by post-translational modifications. Mutations or deletions in this gene have been shown to result in pancreatic cancer, juvenile polyposis syndrome, and hereditary hemorrhagic telangiectasia syndrome.

1