






NPHS1 Antibody

Product Code	CSB-PA015988LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	O60500
Immunogen	Recombinant Human Nephrin protein (23-257AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, WB, IHC, IF; Recommended dilution: WB:1:500-1:5000, IHC:1:200-1:500, IF:1:50-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Nephrin (Renal glomerulus-specific cell adhesion receptor), NPHS1, NPHN
Immunogen Species	Homo sapiens (Human)
Research Area	Signal Transduction
Target Names	NPHS1
Image	IHC image of CSB DA0150891 A01HH diluted at



IHC image of CSB-PA015988LA01HU diluted at 1:250 and staining in paraffin-embedded human kidney tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.




CUSABIO TECHNOLOGY LLC



🕜 Tel: +1-301-363-4651 💮 Email: cusabio@cusabio.com 🌔 Website: www.cusabio.com 🌘








Western Blot

Positive WB detected in: Jurkat whole cell lysate

All lanes: NPHS1 antibody at 5.6µg/ml

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 135, 131 kDa Observed band size: 135 kDa



Immunofluorescence staining of HepG2 cells with CSB-PA015988LA01HU at 1:125, counterstained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).