

🕜 Tel: +1-301-363-4651 🛛 🖾 Email: cusabio@cusabio.com 🥥 Website: www.cusabio.com 🍙


SPTLC1 Antibody

CSB-PA022639ESR1HU	
Upon receipt, store at -20°C or	-80°C. Avoid repeated freeze.
O15269	
Recombinant Human Serine pa	almitoyltransferase 1 protein (37-310AA)
Rabbit	
Human	
ELISA, WB, IHC; Recommend	ed dilution: WB:1:500-1:2000, IHC:1:20-1:200
Liquid	
Non-conjugated	
PBS with 0.02% sodium azide, 50% glycerol, pH7.3.	
Antigen Affinity Purified	
lgG	
Polyclonal	
	EC 2.3.1.50) (Long chain base biosynthesis nitoyl-CoA transferase 1) (SPT 1) (SPT1),
Homo sapiens (Human)	
Cardiovascular	
SPTLC1	
120kDa 90kDa 50kDa 35kDa 25kDa	Western blot All lanes: SPTLC1 antibody at 8µg/ml Lane 1: 293T whole cell lysate Lane 2: MCF-7 whole cell lysate Secondary Goat polyclonal to rabbit at 1/10000 dilution Predicted band size: 53, 17 kDa Observed band size: 53 kDa
	Upon receipt, store at -20°C or O15269 Recombinant Human Serine p Rabbit Human ELISA, WB, IHC; Recommend Liquid Non-conjugated PBS with 0.02% sodium azide Antigen Affinity Purified IgG Polyclonal Serine palmitoyltransferase 1 (protein 1) (LCB 1) (Serine-palr SPTLC1, LCB1 Homo sapiens (Human) Cardiovascular SPTLC1 120kDa - 50kDa -


1



🕧 Tel: +1-301-363-4651 🛛 🖾 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com 🍙



Immunohistochemistry of paraffin-embedded human colon cancer using CSB-PA022639ESR1HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human kidney tissue using CSB-PA022639ESR1HU at dilution of 1:100