




# MAP2K5 Antibody

<b>Product Code</b>	CSB-PA615667ESR2HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q13163
<b>Immunogen</b>	Recombinant Human Dual specificity mitogen-activated protein kinase kinase 5 protein (1-190AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human, Rat
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
<b>Purification Method</b>	Antigen Affinity Purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Dual specificity mitogen-activated protein kinase kinase 5 (MAP kinase kinase 5) (MAPKK 5) (EC 2.7.12.2) (MAPK/ERK kinase 5) (MEK 5), MAP2K5, MEK5 MKK5 PRKMK5
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Signal Transduction
<b>Target Names</b>	MAP2K5

## Image



### Western blot


All lanes: Dual specificity mitogen-activated protein kinase kinase 5 antibody at 2μg/ml + Rat heart tissue

### Secondary


Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 51, 49, 50, 47 kDa

Observed band size: 51 kDa



Immunohistochemistry of paraffin-embedded human testis tissue using CSB-PA615667ESR2HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human gallbladder tissue using CSB-PA615667ESR2HU at dilution of 1:100