

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com 🍙

## CD4 Monoclonal Antibody, PE-Cy5 Conjugated

Product CodeCSB-MA570802StorageUpon receipt, store at -20°C or -80°C. Avoid repeatedRaised InMouseSpecies ReactivityHumanTested ApplicationsELISA,IF,FC;Recommended dilution:IF:1:100-1:200RelevanceCD4, also known as T4, is a 55 kD single chain trans and belongs to immunoglobulin superfamily. CD4 is for a subset of T cells and at low level on monocytes/madeCD4 is a co-receptor involved in immune response (c binding to MHC class II molecules) and HIV infection for HIV-1 surface glycoprotein gp120). CD4 regulates adhesion, T-cell diferentiation, T-cell selection and signal 2. Haynes , B et al. (1981) J Exp Med 153:310-323. 2. Haynes , B et al. (1986) Leukocyte Typing II: Huma York: Sprimger-Verlag; 3-30. 3. Clevers H et al. (1988). Ann Rev Immunol 6 : 629-6 4. Barclay, N et al. (1993). The Leucocyte Factsbook. Diego.FormPhosphate-buffered solution, pH 7.4, containing 0.099	freeze.
Raised InMouseSpecies ReactivityHumanTested ApplicationsELISA,IF,FC;Recommended dilution:IF:1:100-1:200RelevanceCD4, also known as T4, is a 55 kD single chain trans and belongs to immunoglobulin superfamily. CD4 is for a subset of T cells and at low level on monocytes/made CD4 is a co-receptor involved in immune response (cd) binding to MHC class II molecules) and HIV infection for HIV-1 surface glycoprotein gp120). CD4 regulates adhesion, T-cell diferentiation, T-cell selection and sig1. Ledbetter, J et al. (1981) J Exp Med 153:310-323. 2. Haynes , B et al. (1986) Leukocyte Typing II: Huma York: Sprimger-Verlag; 3-30. 3. Clevers H et al. (1988). Ann Rev Immunol 6 : 629-64. Barclay, N et al. (1993). The Leucocyte Factsbook. Diego.FormPhosphate-buffered solution, pH 7.4, containing 0.099	freeze.
Species ReactivityHumanTested ApplicationsELISA,IF,FC;Recommended dilution:IF:1:100-1:200RelevanceCD4, also known as T4, is a 55 kD single chain trans and belongs to immunoglobulin superfamily. CD4 is for a subset of T cells and at low level on monocytes/madCD4 is a co-receptor involved in immune response (c binding to MHC class II molecules) and HIV infection for HIV-1 surface glycoprotein gp120). CD4 regulates adhesion, T-cell diferentiation, T-cell selection and sig1. Ledbetter, J et al. (1981) J Exp Med 153:310-323. 2. Haynes , B et al. (1986) Leukocyte Typing II: Huma York: Sprimger-Verlag; 3-30. 3. Clevers H et al. (1988). Ann Rev Immunol 6 : 629-6 4. Barclay, N et al. (1993). The Leucocyte Factsbook. Diego.FormPhosphate-buffered solution, pH 7.4, containing 0.095	
Tested ApplicationsELISA,IF,FC;Recommended dilution:IF:1:100-1:200RelevanceCD4, also known as T4, is a 55 kD single chain trans and belongs to immunoglobulin superfamily. CD4 is for a subset of T cells and at low level on monocytes/made CD4 is a co-receptor involved in immune response (co- binding to MHC class II molecules) and HIV infection for HIV-1 surface glycoprotein gp120). CD4 regulates adhesion, T-cell diferentiation, T-cell selection and sig1. Ledbetter, J et al. (1981) J Exp Med 153:310-323. 2. Haynes , B et al. (1986) Leukocyte Typing II: Huma York: Sprimger-Verlag; 3-30. 3. Clevers H et al. (1988). Ann Rev Immunol 6 : 629-64. Barclay, N et al. (1993). The Leucocyte Factsbook. Diego.FormPhosphate-buffered solution, pH 7.4, containing 0.095	
RelevanceCD4, also known as T4, is a 55 kD single chain trans and belongs to immunoglobulin superfamily. CD4 is fo a subset of T cells and at low level on monocytes/mad CD4 is a co-receptor involved in immune response (co binding to MHC class II molecules) and HIV infection for HIV-1 surface glycoprotein gp120). CD4 regulates adhesion, T-cell diferentiation, T-cell selection and sig 1. Ledbetter, J et al. (1981) J Exp Med 153:310-323. 2. Haynes , B et al. (1986) Leukocyte Typing II: Huma York: Sprimger-Verlag; 3-30. 3. Clevers H et al. (1988). Ann Rev Immunol 6 : 629-64. Barclay, N et al. (1993). The Leucocyte Factsbook. Diego.FormPhosphate-buffered solution, pH 7.4, containing 0.095	
<ul> <li>CD4, also known as T4, is a 55 kD single chain trans and belongs to immunoglobulin superfamily. CD4 is for a subset of T cells and at low level on monocytes/mate</li> <li>CD4 is a co-receptor involved in immune response (co binding to MHC class II molecules) and HIV infection for HIV-1 surface glycoprotein gp120). CD4 regulates adhesion, T-cell diferentiation, T-cell selection and signations and the selection and signations and the selection of the selection and signations are selected. In the selection of the selection and selection</li></ul>	
	ound on most thymocytes crophages. p-receptor activity in (CD4 is primary receptor T-cell activation, T/B-cell anal transduction.
(w/v) BSA	% sodium azide and 0.2%
lsotype IgG2b	
Clonality Monoclonal	
Product Type Monoclonal Antibody	
Immunogen Species Homo sapiens (Human)	

1