




# Phospho-PRKCD (Tyr64) Antibody

<b>Product Code</b>	CSB-PA980058
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q05655
<b>Immunogen</b>	Peptide sequence around phosphorylation site of Tyrosine 64 (H-I-Y(p)-E-G) derived from Human PKCD.
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human,Mouse,Rat
<b>Specificity</b>	The antibody detects endogenous level of PKCD only when phosphorylated at tyrosine 64.
<b>Tested Applications</b>	ELISA,WB;WB:1:500-1:1000
<b>Form</b>	Rabbit IgG in phosphate buffered saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
<b>Purification Method</b>	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography usi
<b>Clonality</b>	Polyclonal
<b>Alias</b>	KPCD; PKC-delta; PRKCD; kinase PKC-delta; nPKC-delta
<b>Product Type</b>	Polyclonal Antibody
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Target Names</b>	PRKCD

## Image



Western blot analysis of extracts from HepG2 cells treated with PMA using Phospho-PKCD (Tyr64) antibody. The lane on the right is treated with the antigen-specific peptide.

<b>Product Modify</b>	Phospho-Tyr64
<b>Usage</b>	For Research Use Only. Not for use in diagnostic or therapeutic procedures.