




# TNK2 (Ab-284) Antibody

|                            |  |
|----------------------------|--|
| <b>Product Code</b>        | CSB-PA117710   |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.  |
| <b>Uniprot No.</b>         | Q07912   |
| <b>Immunogen</b>           | Synthesized peptide derived from Internal of Human ACK1.   |
| <b>Raised In</b>           | Rabbit   |
| <b>Species Reactivity</b>  | Human,Mouse  |
| <b>Specificity</b>         | The antibody detects endogenous levels of total ACK1protein.   |
| <b>Tested Applications</b> | ELISA,WB;WB:1:500-1:3000   |
| <b>Form</b>                | Rabbit IgG in phosphate buffered saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| <b>Purification Method</b> | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.                              |
| <b>Clonality</b>           | Polyclonal   |
| <b>Alias</b>               | Activated CDC42 kinase 1; ACK-1; EC=2.7.10.2; EC=2.7.11.1; Tyrosine kinase non-receptor protein 2  |
| <b>Product Type</b>        | Polyclonal Antibody  |
| <b>Immunogen Species</b>   | Homo sapiens (Human)   |
| <b>Target Names</b>        | TNK2   |

## Image



Western blot analysis of extracts from 293 cells (Lane 2) and K562 cells (Lane 3), using ACK1 (Ab-284) antibody. The lane on the left is treated with synthesized peptide.