



# PBK Antibody

<b>Product Code</b>	CSB-PA822241DSR1HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q96KB5
<b>Immunogen</b>	Recombinant Human Lymphokine-activated killer T-cell-originated protein kinase protein (1-322AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human, Mouse
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:200-1:1000, IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
<b>Purification Method</b>	Antigen Affinity Purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Lymphokine-activated killer T-cell-originated protein kinase (EC 2.7.12.2) (Cancer/testis antigen 84) (CT84) (MAPKK-like protein kinase) (Nori-3) (PDZ-binding kinase) (Spermatogenesis-related protein kinase) (SPK) (T-LAK cell-originated protein kinase), PBK, TOPK
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Cell Biology
<b>Target Names</b>	PBK

## Image



### Western blot

All lanes: PBK antibody at 6µg/ml

Lane 1: Hela whole cell lysate


Lane 2: Mouse gonad tissue

Secondary


Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 37, 38 kDa


Observed band size: 37 kDa



Immunohistochemistry of paraffin-embedded human tonsil tissue using CSB-PA822241DSR1HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human placenta tissue using CSB-PA822241DSR1HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human thymus tissue using CSB-PA822241DSR1HU at dilution of 1:100

## Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.