




# PDK2 Antibody

<b>Product Code</b>	CSB-PA618976ESR2HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q15119
<b>Immunogen</b>	Recombinant Human [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 2, mitochondrial protein (128-407AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human, Mouse
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
<b>Purification Method</b>	Antigen Affinity Purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	[Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 2, mitochondrial (EC 2.7.11.2) (Pyruvate dehydrogenase kinase isoform 2) (PDH kinase 2) (PDKII), PDK2, PDHK2
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Signal Transduction
<b>Target Names</b>	PDK2

## Image



### Western blot

All lanes: PDK2 antibody at 6μg/ml

Lane 1: Mouse heart tissue

Lane 2: HeLa whole cell lysate


Lane 3: Mouse skeletal muscle tissue

Secondary


Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 47, 39 kDa

Observed band size: 47 kDa



Immunohistochemistry of paraffin-embedded human breast cancer using CSB-PA618976ESR2HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human skeletal muscle tissue using CSB-PA618976ESR2HU at dilution of 1:100