




PDK2 Antibody

| | |
|----------------------------|--|
| Product Code | CSB-PA618976ESR2HU |
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q15119 |
| Immunogen | Recombinant Human [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 2, mitochondrial protein (128-407AA) |
| Raised In | Rabbit |
| Species Reactivity | Human, Mouse |
| Tested Applications | ELISA, WB, IHC; Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200 |
| Form | Liquid |
| Conjugate | Non-conjugated |
| Storage Buffer | PBS with 0.02% sodium azide, 50% glycerol, pH7.3. |
| Purification Method | Antigen Affinity Purified |
| Isotype | IgG |
| Clonality | Polyclonal |
| Alias | [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 2, mitochondrial (EC 2.7.11.2) (Pyruvate dehydrogenase kinase isoform 2) (PDH kinase 2) (PDKII), PDK2, PDHK2 |
| Immunogen Species | Homo sapiens (Human) |
| Research Area | Signal Transduction |
| Target Names | PDK2 |

Image



Western blot

All lanes: PDK2 antibody at 6µg/ml

Lane 1: Mouse heart tissue

Lane 2: HeLa whole cell lysate


Lane 2: Mouse skeletal muscle tissue

Secondary


Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 47, 39 kDa

Observed band size: 47 kDa



Immunohistochemistry of paraffin-embedded human breast cancer using CSB-PA618976ESR2HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human skeletal muscle tissue using CSB-PA618976ESR2HU at dilution of 1:100

Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.