




# STK16 Antibody

<b>Product Code</b>	CSB-PA022835ESR2HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	O75716
<b>Immunogen</b>	Recombinant Human Serine/threonine-protein kinase 16 protein (1-305AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human, Mouse
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:200-1:1000, IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
<b>Purification Method</b>	Antigen Affinity Purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Serine/threonine-protein kinase 16 (EC 2.7.11.1) (Myristoylated and palmitoylated serine/threonine-protein kinase) (MPSK) (Protein kinase PKL12) (TGF-beta-stimulated factor 1) (TSF-1) (Tyrosine-protein kinase STK16) (EC 2.7.10.2) (hPSK), STK16, MPSK1 PKL12 TSF1
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Signal Transduction
<b>Target Names</b>	STK16

## Image



### Western blot

All lanes: STK16 antibody at 12µg/ml

Lane 1: A549 whole cell lysate

Lane 2: Mouse brain tissue


Lane 3: A431 whole cell lysate

Secondary


Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 35 kDa

Observed band size: 35 kDa



Immunohistochemistry of paraffin-embedded human tonsil tissue using CSB-PA022835ESR2HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human skin tissue using CSB-PA022835ESR2HU at dilution of 1:100

## Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.