





CCNG1 Antibody

Product CodeCSB-PA001884StorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.P51959ImmunogenSynthesized peptide derived from the Internal region of Human Cyclin G.Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasCCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-GImmunogen SpeciesHomo sapiens (Human)Target NamesCCNG1		
Uniprot No.P51959ImmunogenSynthesized peptide derived from the Internal region of Human Cyclin G.Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasCCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-GImmunogen SpeciesHomo sapiens (Human)Target NamesCCNG1	Product Code	CSB-PA001884
ImmunogenSynthesized peptide derived from the Internal region of Human Cyclin G.Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasCCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-GImmunogen SpeciesHomo sapiens (Human)Target NamesCCNG1	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised In Rabbit Species Reactivity Human,Mouse,Rat Tested Applications WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias CCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-G Immunogen Species Homo sapiens (Human) Target Names CCNG1	Uniprot No.	P51959
Species ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasCCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-GImmunogen SpeciesHomo sapiens (Human)Target NamesCCNG1	Immunogen	Synthesized peptide derived from the Internal region of Human Cyclin G.
Tested Applications WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias CCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-G Immunogen Species Homo sapiens (Human) Target Names CCNG1	Raised In	Rabbit
Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias CCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-G Immunogen Species Homo sapiens (Human) Target Names CCNG1	Species Reactivity	Human,Mouse,Rat
ConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasCCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-GImmunogen SpeciesHomo sapiens (Human)Target NamesCCNG1	Tested Applications	WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000
Storage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasCCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-GImmunogen SpeciesHomo sapiens (Human)Target NamesCCNG1	Form	Liquid
Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias CCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-G Immunogen Species Homo sapiens (Human) Target Names CCNG1	Conjugate	Non-conjugated
chromatography using epitope-specific immunogen. Isotype	Storage Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Alias CCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-G Immunogen Species Homo sapiens (Human) Target Names CCNG1	Purification Method	
Immunogen Species Homo sapiens (Human) Target Names CCNG1	Isotype	IgG
Target Names CCNG1	Alias	CCNG1; CCNG; CYCG1; Cyclin-G1; Cyclin-G
	Immunogen Species	Homo sapiens (Human)
Image	Target Names	CCNG1
Western Plet analysis of Jurket calls using Cyclin	Image	Mostorn Plot analysis of hydrot calls valid of colle

(kD) 48-34-26-

19-

Western Blot analysis of Jurkat cells using Cyclin G Polyclonal Antibody