

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥥 Website: www.cusabio.com 🍙

CYP2S1 Antibody

55-

Q96SQ9 Synthesized peptide derived fr Rabbit Human,Mouse WB, IHC, IF, ELISA; WB:1:500 ELISA:1:5000 Liquid Non-conjugated	r -80°C. Avoid repeated freeze. rom the Internal region of Human CYP2S1. 0-1:2000, IHC:1:100-1:300, IF:1:200-1:1000,
Q96SQ9 Synthesized peptide derived fr Rabbit Human,Mouse WB, IHC, IF, ELISA; WB:1:500 ELISA:1:5000 Liquid Non-conjugated	rom the Internal region of Human CYP2S1. 0-1:2000, IHC:1:100-1:300, IF:1:200-1:1000,
Synthesized peptide derived fr Rabbit Human,Mouse WB, IHC, IF, ELISA; WB:1:500 ELISA:1:5000 Liquid Non-conjugated	0-1:2000, IHC:1:100-1:300, IF:1:200-1:1000,
Rabbit Human,Mouse WB, IHC, IF, ELISA; WB:1:500 ELISA:1:5000 Liquid Non-conjugated	0-1:2000, IHC:1:100-1:300, IF:1:200-1:1000,
Human,Mouse WB, IHC, IF, ELISA; WB:1:500 ELISA:1:5000 Liquid Non-conjugated	
WB, IHC, IF, ELISA; WB:1:500 ELISA:1:5000 Liquid Non-conjugated	
ELISA:1:5000 Liquid Non-conjugated	
Non-conjugated	alvcerol. 0.5% BSA and 0.02% sodium azide
	alvcerol. 0.5% BSA and 0.02% sodium azide
Liquid in PBS containing 50%	glycerol 0.5% BSA and 0.02% sodium azide.
Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.	
The antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.	
lgG	
CYP2S1; Cytochrome P450 2	S1; CYPIIS1
Homo sapiens (Human)	
CYP2S1	
(kD) 170- 130-	Western Blot analysis of COLO205 cells using CYP2S1 Polyclonal Antibody

1