





EPN2 Antibody

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Uniprot No. O95208 Synthesized peptide derived from the Internal region of Human Epsin 2. Raised In Rabbit Species Reactivity Human,Mouse,Rat Tested Applications WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:20000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) Target Names EPN2		
Uniprot No. O95208 Immunogen Synthesized peptide derived from the Internal region of Human Epsin 2. Raised In Rabbit Human,Mouse,Rat Tested Applications WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:20000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) EPN2	Product Code	CSB-PA002388
Immunogen Synthesized peptide derived from the Internal region of Human Epsin 2. Raised In Rabbit Species Reactivity Human,Mouse,Rat Tested Applications WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:20000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) EPN2	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised In Rabbit Species Reactivity Human,Mouse,Rat WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:20000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) EPN2	Uniprot No.	O95208
Species Reactivity Human, Mouse, Rat WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:20000 Form Liquid Conjugate Non-conjugated Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) Farget Names EPN2	Immunogen	Synthesized peptide derived from the Internal region of Human Epsin 2.
Tested Applications WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:20000 Liquid Conjugate Non-conjugated Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) EPN2	Raised In	Rabbit
Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) Target Names EPN2	Species Reactivity	Human,Mouse,Rat
Conjugate Non-conjugated Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Homo sapiens (Human) EPN2	Tested Applications	WB, IHC, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:20000
Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Homo sapiens (Human) Target Names EPN2	Form	Liquid
Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) EPN2 Image	Conjugate	Non-conjugated
chromatography using epitope-specific immunogen. Isotype IgG Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) Target Names EPN2	Storage Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Alias EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2 Immunogen Species Homo sapiens (Human) Target Names EPN2 Image	Purification Method	
Immunogen Species Homo sapiens (Human) Target Names EPN2 Image	Isotype	IgG
Target Names EPN2	Alias	EPN2; KIAA1065; Epsin-2; EPS-15-interacting protein 2
Image	Immunogen Species	Homo sapiens (Human)
mage Western Blet analysis of Llyy Fa calls yeing Engin	Target Names	EPN2
	Image	Western Plet analysis of HuyEe cells using Engin

(kD) 117-48-34-26-19-

Western Blot analysis of HuvEc cells using Epsin 2 Polyclonal Antibody