




HDAC9 Antibody

Product Code	CSB-PA002917
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q9UKV0-5,6,7
Immunogen	Synthesized peptide derived from the C-terminal region of Human Histone deacetylase 9.
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	WB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:10000
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage Buffer Purification Method	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
	The antibody was affinity-purified from rabbit antiserum by affinity-
Purification Method	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Purification Method Isotype	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. IgG Histone deacetylase 9; HD9; Histone deacetylase 7B; HD7; HD7b; Histone deacetylase-related protein; MEF2-interacting transcription repressor MITR;
Purification Method Isotype Alias	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. IgG Histone deacetylase 9; HD9; Histone deacetylase 7B; HD7; HD7b; Histone deacetylase-related protein; MEF2-interacting transcription repressor MITR; HDAC9; HDAC7; HDAC7B; HDRP; KIAA0744; MITR

Image




Western Blot analysis of HepG2 cells using Histone deacetylase 9 Polyclonal Antibody



CUSABIO TECHNOLOGY LLC





Western Blot analysis of K562 cells using Histone deacetylase 9 Polyclonal Antibody