

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

ARFGAP3 Antibody

StorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.Q9NP61ImmunogenSynthesized peptide derived from the Internal region of Human ARF GAP3.Raised InRabbitSpecies ReactivityHumanTested ApplicationsWB, ELISA; WB:1:500-1:2000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3		
Uniprot No.Q9NP61ImmunogenSynthesized peptide derived from the Internal region of Human ARF GAP3.Raised InRabbitSpecies ReactivityHumanTested ApplicationsWB, ELISA; WB:1:500-1:2000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3	Product Code	CSB-PA008739
ImmunogenSynthesized peptide derived from the Internal region of Human ARF GAP3.Raised InRabbitSpecies ReactivityHumanTested ApplicationsWB, ELISA; WB:1:500-1:2000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised InRabbitSpecies ReactivityHumanTested ApplicationsWB, ELISA; WB:1:500-1:2000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3	Uniprot No.	Q9NP61
Species ReactivityHumanTested ApplicationsWB, ELISA; WB:1:500-1:2000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3Immunogen SpeciesHomo sapiens (Human)	Immunogen	Synthesized peptide derived from the Internal region of Human ARF GAP3.
Tested ApplicationsWB, ELISA; WB:1:500-1:2000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3Immunogen SpeciesHomo sapiens (Human)	Raised In	Rabbit
FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3Immunogen SpeciesHomo sapiens (Human)	Species Reactivity	Human
ConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3Immunogen SpeciesHomo sapiens (Human)	Tested Applications	WB, ELISA; WB:1:500-1:2000, ELISA:1:10000
Storage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3Immunogen SpeciesHomo sapiens (Human)	Form	Liquid
Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3Immunogen SpeciesHomo sapiens (Human)	Conjugate	Non-conjugated
chromatography using epitope-specific immunogen. Isotype IgG Alias ARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3 Immunogen Species Homo sapiens (Human)	Storage Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Alias ARFGAP3; ARFGAP1; ADP-ribosylation factor GTPase-activating protein 3; ARF GAP 3 Immunogen Species Homo sapiens (Human)	Purification Method	
ARF GAP 3 Immunogen Species Homo sapiens (Human)	Isotype	IgG
	Alias	
Target Names ARFGAP3	Immunogen Species	Homo sapiens (Human)
	Target Names	ARFGAP3

1