

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

PRKCQ Antibody

Product CodeCSB-PA030274StorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.Q04759ImmunogenSynthesized peptide derived from Human PKC θ around the non- phosphorylation site of S676.Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)Target NamesPRKCQ		
Uniprot No.Q04759ImmunogenSynthesized peptide derived from Human PKC θ around the non-phosphorylation site of S676.Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)	Product Code	CSB-PA030274
ImmunogenSynthesized peptide derived from Human PKC θ around the non-phosphorylation site of S676.Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Phosphorylation site of S676.Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)	Uniprot No.	Q04759
Species ReactivityHuman,Mouse,RatTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)	Immunogen	
Tested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)	Raised In	Rabbit
ELISA:1:2000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)	Species Reactivity	Human,Mouse,Rat
ConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)	Tested Applications	
Storage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)	Form	Liquid
Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IsotypeIgGAliasPRKCQ; PRKCT; Protein kinase C theta type; nPKC-thetaImmunogen SpeciesHomo sapiens (Human)		•
Isotype IgG Alias PRKCQ; PRKCT; Protein kinase C theta type; nPKC-theta Immunogen Species Homo sapiens (Human)	Conjugate	•
Alias PRKCQ; PRKCT; Protein kinase C theta type; nPKC-theta Immunogen Species Homo sapiens (Human)		Non-conjugated
Immunogen Species Homo sapiens (Human)	Storage Buffer	Non-conjugated Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. The antibody was affinity-purified from rabbit antiserum by affinity-
	Storage Buffer Purification Method	Non-conjugated Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Target Names PRKCQ	Storage Buffer Purification Method Isotype	Non-conjugatedLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IgG
-	Storage Buffer Purification Method Isotype Alias	Non-conjugatedLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.The antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.IgGPRKCQ; PRKCT; Protein kinase C theta type; nPKC-theta

1