







## **ARC** Antibody

| <b>Product Code</b>        | CSB-PA786870  |
|----------------------------|---|
| Storage                    | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.   |
| Uniprot No.                | Q7LC44  |
| Immunogen                  | Fusion protein of Human ARC                                     |
| Raised In                  | Rabbit  |
| Species Reactivity         | Human,Mouse,Rat   |
| <b>Tested Applications</b> | ELISA,WB,IHC;ELISA:1:2000-1:5000,WB:1:200-1:1000,IHC:1:50-1:200 |
| Form                       | Liquid  |
| Conjugate                  | Non-conjugated  |
| Storage Buffer             | -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol                      |
| <b>Purification Method</b> | Antigen affinity purification                                   |
| Isotype                    | IgG   |
| Alias                      | activity-regulated cytoskeleton-associated protein              |
| Immunogen Species          | Homo sapiens (Human)  |
| Target Names               | ARC   |
| Image                      | The image on the left is immunohisted amietry of                |



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CSB-PA786870(ARC Antibody) at dilution 1/25, on the right is treated with fusion protein. (Original magnification: x200)




The image on the left is immunohistochemistry of paraffin-embedded Human gastric cancer tissue using CSB-PA786870(ARC Antibody) at dilution 1/25, on the right is treated with fusion protein. (Original magnification: x200)



## **CUSABIO TECHNOLOGY LLC**







Gel: 8%SDS-PAGE, Lysate: 40  $\mu$ g, Lane: Human lymphoma tissue, Primary antibody: CSB-PA786870(ARC Antibody) at dilution 1/200, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 10 seconds