


🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🛛 🥑 Website: www.cusabio.com 🍙


CDCA8 Antibody

| Product Code | CSB-PA232587 |
|--|--|
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q53HL2 |
| Immunogen | Fusion protein of Human CDCA8 |
| Raised In | Rabbit |
| Species Reactivity | Human |
| Tested Applications | ELISA,WB,IHC;ELISA:1:2000-1:10000,WB:1:1000-1:5000,IHC:1:50-1:200 |
| Form | Liquid |
| | |
| Conjugate | Non-conjugated |
| Conjugate Storage Buffer | Non-conjugated -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| | |
| Storage Buffer | -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| Storage Buffer Purification Method | -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol Antigen affinity purification |
| Storage Buffer Purification Method Isotype | -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol Antigen affinity purification IgG |

Image



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using CSB-PA232587(CDCA8 Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: x200)




The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using CSB-PA232587(CDCA8 Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: ×200)

1



🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥥 Website: www.cusabio.com 🧉



Gel: 15%SDS-PAGE, Lysate: 40 µg, Lane: 293T cells, Primary antibody: CSB-PA232587(CDCA8 Antibody) at dilution 1/800, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 1 second