





# FLNA Antibody

|                            |   |
|----------------------------|---|
| <b>Product Code</b>        | CSB-PA985162  |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.           |
| <b>Uniprot No.</b>         | P21333  |
| <b>Immunogen</b>           | Fusion protein of Human FLNA  |
| <b>Raised In</b>           | Rabbit  |
| <b>Species Reactivity</b>  | Human, Mouse  |
| <b>Tested Applications</b> | ELISA, WB, IHC; ELISA: 1:2000-1:5000, WB: 1:500-1:2000, IHC: 1:50-1:200 |
| <b>Form</b>                | Liquid  |
| <b>Conjugate</b>           | Non-conjugated  |
| <b>Storage Buffer</b>      | -20°C, pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol                 |
| <b>Purification Method</b> | Antigen affinity purification   |
| <b>Isotype</b>             | IgG   |
| <b>Immunogen Species</b>   | Homo sapiens (Human)  |
| <b>Target Names</b>        | FLNA  |


## Image



The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA985162 (FLNA Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: ×200)



The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using CSB-PA985162 (FLNA Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: ×200)



Gel: 6%SDS-PAGE, Lysate: 40  $\mu$ g, Lane 1-4:  
PC3 cells, Hela cells, NIH/3T3 cells, HUVEC  
cells, Primary antibody: CSB-PA985162(FLNA  
Antibody) at dilution 1/800, Secondary antibody:  
Goat anti rabbit IgG at 1/8000 dilution, Exposure  
time: 1 minute

**Usage**

For Research Use Only. Not for use in diagnostic or therapeutic procedures.