




HDAC3 Antibody

Product Code	CSB-PA010239LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	O15379
Immunogen	Recombinant Human Histone deacetylase 3 protein (1-428AA)
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA, WB, IHC, IF, ChIP; Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200, IF:1:50-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Histone deacetylase 3 (HD3) (EC 3.5.1.98) (RPD3-2) (SMAP45), HDAC3
Immunogen Species	Homo sapiens (Human)
Research Area	Epigenetics and Nuclear Signaling
Target Names	HDAC3

Image



Western blot


All lanes: HDAC3 antibody at 2µg/ml + HeLa whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 49, 50 kDa

Observed band size: 49 kDa


Western Blot

Positive WB detected in: Mouse heart tissue


All lanes: HDAC3 antibody at 2.5µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 49, 50 kDa


Observed band size: 49 kDa



Immunohistochemistry of paraffin-embedded

human breast cancer using CSB-

PA010239LA01HU at dilution of 1:100


Chromatin Immunoprecipitation

Hela(1.2×10^6) were cross-linked with

formaldehyde, sonicated, and


immunoprecipitated with 4µg anti-HDAC3 or a

control normal rabbit IgG. The resulting ChIP

DNA was quantified tissue using real-time PCR

with primers(CSB-PP010239HU) against the

P21 promoter.



Immunofluorescent analysis of HeLa cells using

CSB-PA010239LA01HU at dilution of 1:100 and

Alexa Fluor 488-conjugated AffiniPure Goat

Anti-Rabbit IgG(H+L)