





# RUNDC3A Antibody

|                            |   |
|----------------------------|---|
| <b>Product Code</b>        | CSB-PA685437LA01HU  |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                                 |
| <b>Uniprot No.</b>         | Q59EK9  |
| <b>Immunogen</b>           | Recombinant Human RUN domain-containing protein 3A protein (1-405AA)                          |
| <b>Raised In</b>           | Rabbit  |
| <b>Species Reactivity</b>  | Human   |
| <b>Tested Applications</b> | ELISA, WB, IHC; Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200                         |
| <b>Form</b>                | Liquid  |
| <b>Conjugate</b>           | Non-conjugated  |
| <b>Storage Buffer</b>      | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, PH 7.4              |
| <b>Purification Method</b> | Antigen Affinity Purified   |
| <b>Isotype</b>             | IgG   |
| <b>Clonality</b>           | Polyclonal  |
| <b>Alias</b>               | RUN domain-containing protein 3A (Rap2-interacting protein 8) (RPIP-8), RUNDC3A, RAP2IP RPIP8 |
| <b>Immunogen Species</b>   | Homo sapiens (Human)  |
| <b>Research Area</b>       | Signal Transduction   |
| <b>Target Names</b>        | RUNDC3A   |

## Image



Western blot  
All lanes: RUNDC3A antibody at 1.5µg/ml + MCF-7 whole cell lysate  
Secondary  
Goat polyclonal to rabbit IgG at 1/10000 dilution  
Predicted band size: 50, 46, 42 kDa  
Observed band size: 50 kDa



Immunohistochemistry of paraffin-embedded human testis tissue using CSB-PA685437LA01HU at dilution of 1:100