

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

## ZCCHC17 Antibody

Product CodeCSB-PA878834LA01HUStorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.Q9NP64ImmunogenRecombinant Human Nucleolar protein of 40 kDa protein (1-241AA)Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISAFormLiquidConjugateNon-conjugatedStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling ZCCHC17		
Uniprot No.Q9NP64ImmunogenRecombinant Human Nucleolar protein of 40 kDa protein (1-241AA)Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISAFormLiquidConjugateNon-conjugatedStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Product Code	CSB-PA878834LA01HU
ImmunogenRecombinant Human Nucleolar protein of 40 kDa protein (1-241AA)Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISAFormLiquidConjugateNon-conjugatedStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISAFormLiquidConjugateNon-conjugatedStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Uniprot No.	Q9NP64
Species ReactivityHumanTested ApplicationsELISAFormLiquidConjugateNon-conjugatedStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Immunogen	Recombinant Human Nucleolar protein of 40 kDa protein (1-241AA)
Tested ApplicationsELISAFormLiquidConjugateNon-conjugatedStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Raised In	Rabbit
FormLiquidConjugateNon-conjugatedStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Species Reactivity	Human
ConjugateNon-conjugatedStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	<b>Tested Applications</b>	ELISA
Storage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Form	Liquid
Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Conjugate	Non-conjugated
IsotypeIgGClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Storage Buffer	
ClonalityPolyclonalAliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Purification Method	>95%, Protein G purified
AliasNucleolar protein of 40 kDa (pNO40) (Pnn-interacting nucleolar protein) (Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Isotype	IgG
(Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC domain-containing protein 17), ZCCHC17, PS1DImmunogen SpeciesHomo sapiens (Human)Research AreaEpigenetics and Nuclear Signaling	Clonality	Polyclonal
Research Area Epigenetics and Nuclear Signaling	Alias	(Putative S1 RNA-binding domain protein) (PS1D protein) (Zinc finger CCHC
	Immunogen Species	Homo sapiens (Human)
Target Names ZCCHC17	Research Area	Epigenetics and Nuclear Signaling
	Target Names	ZCCHC17

1