


🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 📀 Website: www.cusabio.com 🌘

NELFB Antibody

Product Code	CSB-PA03765A0Rb
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8WX92
Immunogen	Recombinant Human Negative elongation factor B protein (8-199AA)
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA, WB, IHC, ChIP; Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Negative elongation factor B (NELF-B) (Cofactor of BRCA1), NELFB, COBRA1 KIAA1182
Immunogen Species	Homo sapiens (Human)
Research Area	Epigenetics and Nuclear Signaling
Target Names	NELFB
Image	Western Blot




Western Blot All lanes: NELFB antibody at 2µg/ml Lane 1: NIH/3T3 whole cell lysate Lane 2: HL60 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution Predicted band size: 66 kDa Observed band size: 66 kDa


1




🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🛛 🥑 Website: www.cusabio.com 🍙



Immunohistochemistry of paraffin-embedded human endometrial cancer using CSB-PA03765A0Rb at dilution of 1:100



Immunohistochemistry of paraffin-embedded human colon cancer using CSB-PA03765A0Rb at dilution of 1:100



Chromatin Immunoprecipitation Hela (1.1*10⁶) were cross-linked with formaldehyde, sonicated, and immunoprecipitated with 4µg anti-NELFB or a control normal rabbit IgG. The resulting ChIP DNA was quantified using real-time PCR with primers (CSB-PP03765HU) against the TFF1 promoter.