




# ACAD8 Antibody

|                            |   |
|----------------------------|---|
| <b>Product Code</b>        | CSB-PA892457LA01HU  |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.   |
| <b>Uniprot No.</b>         | Q9UKU7  |
| <b>Immunogen</b>           | Recombinant Human Isobutyryl-CoA dehydrogenase, mitochondrial protein (201-415AA)   |
| <b>Raised In</b>           | Rabbit  |
| <b>Species Reactivity</b>  | Human, Mouse  |
| <b>Tested Applications</b> | ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200   |
| <b>Form</b>                | Liquid  |
| <b>Conjugate</b>           | Non-conjugated  |
| <b>Storage Buffer</b>      | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  |
| <b>Purification Method</b> | >95%, Protein G purified  |
| <b>Isotype</b>             | IgG   |
| <b>Clonality</b>           | Polyclonal  |
| <b>Alias</b>               | Isobutyryl-CoA dehydrogenase, mitochondrial (EC 1.3.99.-) (Activator-recruited cofactor 42 kDa component) (ARC42) (Acyl-CoA dehydrogenase family member 8) (ACAD-8), ACAD8, ARC42 IBD |
| <b>Immunogen Species</b>   | Homo sapiens (Human)  |
| <b>Research Area</b>       | Signal Transduction   |
| <b>Target Names</b>        | ACAD8   |

## Image



### Western Blot

Positive WB detected in: Mouse liver tissue, Mouse heart tissue, Mouse skeletal muscle tissue


All lanes: ACAD8 antibody at 3µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 46, 32, 39 kDa

Observed band size: 46, 39 kDa



Immunohistochemistry of paraffin-embedded human tonsil tissue using CSB-PA892457LA01HU at dilution of 1:100

---

**Usage**

For Research Use Only. Not for use in diagnostic or therapeutic procedures.