




# Recombinant Mouse Prolyl endopeptidase FAP (Fap), partial

<b>Product Code</b>	CSB-CF008424MO
<b>Relevance</b>	<p>Cell surface glycoprotein serine protease that participates in extracellular matrix degradation and involved in many cellular processes including tissue remodeling, fibrosis, wound healing, inflammation and tumor growth. Both plasma membrane and soluble forms exhibit post-proline cleaving endopeptidase activity, with a marked preference for Ala/Ser-Gly-Pro-Ser/Asn/Ala consensus sequences, on substrate such as alpha-2-antiplasmin SERPINF2 and SPRY2. Degrade also gelatin, heat-denatured type I collagen, but not native collagen type I and IV, vibronectin, tenascin, laminin, fibronectin, fibrin or casein. Have also dipeptidyl peptidase activity, exhibiting the ability to hydrolyze the prolyl bond two residues from the N-terminus of synthetic dipeptide substrates provided that the penultimate residue is proline, with a preference for Ala-Pro, Ile-Pro, Gly-Pro, Arg-Pro and Pro-Pro. Natural neuropeptide hormones for dipeptidyl peptidase are the neuropeptide Y (NPY), peptide YY (PYY), substance P (TAC1) and brain natriuretic peptide 32 (NPPB). The plasma membrane form, in association with either DPP4, PLAUR or integrins, is involved in the pericellular proteolysis of the extracellular matrix (ECM), and hence promotes cell adhesion, migration and invasion through the ECM. Plays a role in tissue remodeling during development and wound healing. Participates in the cell invasiveness towards the ECM in malignant melanoma cancers. Enhances tumor growth progression by increasing angiogenesis, collagen fiber degradation and apoptosis and by reducing antitumor response of the immune system. Promotes glioma cell invasion through the brain parenchyma by degrading the proteoglycan brevican. Acts as a tumor suppressor in melanocytic cells through regulation of cell proliferation and survival in a serine protease activity-independent manner</p>
<b>Abbreviation</b>	Recombinant Mouse Fap protein, partial
<b>Storage</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
<b>Uniprot No.</b>	P97321
<b>Product Type</b>	Transmembrane Protein
<b>Immunogen Species</b>	Mus musculus (Mouse)
<b>Purity</b>	≥ 90% as determined by SDS-PAGE.
<b>Sequence</b>	LRPSRVYKPEGNTKRALTLKDILNGTFSYKTYFPNWISEQEYLHQSEDDNIVFY NIETRESYIILSNSTMKSVNATDYGLSPDRQFVYLESYKLVWRYSYTATYYIYD LQNGEFVVRGYELPRPIQYLCWSPVGSKLAYVYQNNIYLKQRPDPPFQITYTG RENRIFNGIPDWVYEEEMLATKYALWWSPDGKFLAYVEFNDSDIPIIAYSYYGD GQYPRNTINIPYKAGAKNPVVRVFIWDTTYPHHVGPMEVPVPEMIASSDYYFS




WLTWSSSERVCLQWLKRVQNVSVLSICDFREDWHAWECPKNQEHVEESRTG  
 WAGGFFVSTPAFSQDATSYKIFSDKDGYKHIHYIKDTVENAIQITSGKWEAIYI  
 FRVTQDSLFFYSSNEFEGYPGRRNIYRISIGNSPPSKKCVTCHLRKERCQYYTA  
 SFSYKAKYYALVCYGPLPISTLHDGRTDQEIQVLEENKELENSLRNIQLPKVEI  
 KKLKDGGLTFWYKMILPPQFDRSKKYPLLIQVYGGPCSQSVKSVFAVNWITYL  
 ASKEGIVIALVDGRGTAFQGDKFLHAVYRKLGVYEVEDQLTAVRKFIEMGFIDE  
 ERIAIWGWSYGGYVSSLALASGTGLFKCGIAVAPVSSWEYYSIYSERFMGLP  
 TKDDNLEHYKNSTVMARAEYFRNVDYLLIHGTADDNVHFQNSAQIAKALVNAQ  
 VDFQAMWYSQDQNHGISSGRSQNHLYTHMTHFLKQCFLSD


<b>Research Area</b>	others
<b>Source</b>	in vitro E.coli expression system
<b>Target Names</b>	Fap
<b>Protein Names</b>	Dipeptidyl peptidase FAP
<b>Expression Region</b>	26-761aa
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	N-terminal 6xHis-SUMO-tagged
<b>Mol. Weight</b>	101.3kDa
<b>Protein Length</b>	Extracellular Domain

**Image**


(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.



Based on the SEQUEST from database of E.coli host and target protein, the LC-MS/MS Analysis result of CSB-CF008424MO could indicate that this peptide derived from E.coli-expressed Mus musculus (Mouse) Fap.



Based on the SEQUEST from database of E.coli host and target protein, the LC-MS/MS Analysis result of CSB-CF008424MO could indicate that this peptide derived from E.coli-expressed Mus musculus (Mouse) Fap.

**Reconstitution**

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a



concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

### Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.