




# Recombinant Human Glyceraldehyde-3-phosphate dehydrogenase (GAPDH)

<b>Product Code</b>	CSB-EP009232HU
<b>Relevance</b>	Has both glyceraldehyde-3-phosphate dehydrogenase and nitrosylase activities, thereby playing a role in glycolysis and nuclear functions, respectively. Participates in nuclear events including transcription, RNA transport, DNA replication and apoptosis. Nuclear functions are probably due to the nitrosylase activity that mediates cysteine S-nitrosylation of nuclear target proteins such as SIRT1, HDAC2 and PRKDC. Modulates the organization and assembly of the cytoskeleton. Facilitates the CHP1-dependent microtubule and membrane associations through its ability to stimulate the binding of CHP1 to microtubules (By similarity). Glyceraldehyde-3-phosphate dehydrogenase is a key enzyme in glycolysis that catalyzes the first step of the pathway by converting D-glyceraldehyde 3-phosphate (G3P) into 3-phospho-D-glyceroyl phosphate. Component of the GAIT (gamma interferon-activated inhibitor of translation) complex which mediates interferon-gamma-induced transcript-selective translation inhibition in inflammation processes. Upon interferon-gamma treatment assembles into the GAIT complex which binds to stem loop-containing GAIT elements in the 3'-UTR of diverse inflammatory mRNAs (such as ceruplasmin) and suppresses their translation.
<b>Abbreviation</b>	Recombinant Human GAPDH protein
<b>Storage</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
<b>Uniprot No.</b>	P04406
<b>Alias</b>	GAPDH Alternative name(s): Peptidyl-cysteine S-nitrosylase GAPDH
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	Greater than 90% as determined by SDS-PAGE.
<b>Sequence</b>	GKVKVGVNGFGRIGRLVTRAAFNSGKVDIVAINDPFIDLNYMVYMFQYDSTHG KFHGTVKAENGLVINGNPITIFQERDPSKIKWGDAGAEYVVESTGVFTTMEKA GAHLQGGAKRVIISAPSADAPMFVMGVNHEKYDNSLKIISNASCTTNCLAPLAK VIHDNFGIVEGLMTTVHAITATQKTVDGPGSKLWRDGRGALQNIIPASTGAAKA VGKVIPELNGKLTGMAFRVPTANVSVDLTCRLEKPAKYDDIKKVVVKQASEGP LKGILGYTEHQVSSDFNSDTHSSTFDAGAGIALNDHFVKLISWYDNEFGYSN RVVDLMAHMASKE
<b>Research Area</b>	Neuroscience
<b>Source</b>	E.coli
<b>Target Names</b>	GAPDH



<b>Protein Names</b>	Recommended name: Glyceraldehyde-3-phosphate dehydrogenase Short name= GAPDH EC= 1.2.1.12 Alternative name(s): Peptidyl-cysteine S-nitrosylase GAPDH EC= 2.6.99.-
<b>Expression Region</b>	2-335aa
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	N-terminal 6xHis-SUMO-tagged
<b>Mol. Weight</b>	51.9kDa
<b>Protein Length</b>	Full Length of Mature Protein

**Image**


(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
<b>Shelf Life</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.