




# NSFL1C Antibody

|                            |  |
|----------------------------|--|
| <b>Product Code</b>        | CSB-PA892163DSR1HU   |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                            |
| <b>Uniprot No.</b>         | Q9UNZ2   |
| <b>Immunogen</b>           | Recombinant Human NSFL1 cofactor p47 protein (1-185AA)                                   |
| <b>Raised In</b>           | Rabbit   |
| <b>Species Reactivity</b>  | Human, Mouse, Rat  |
| <b>Tested Applications</b> | ELISA, WB, IHC; Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200                   |
| <b>Form</b>                | Liquid   |
| <b>Conjugate</b>           | Non-conjugated   |
| <b>Storage Buffer</b>      | PBS with 0.02% sodium azide, 50% glycerol, pH7.3.  |
| <b>Purification Method</b> | Antigen Affinity Purified  |
| <b>Isotype</b>             | IgG  |
| <b>Clonality</b>           | Polyclonal   |
| <b>Alias</b>               | NSFL1 cofactor p47 (UBX domain-containing protein 2C) (p97 cofactor p47), NSFL1C, UBXN2C |
| <b>Immunogen Species</b>   | Homo sapiens (Human)   |
| <b>Research Area</b>       | Signal Transduction  |
| <b>Target Names</b>        | NSFL1C   |

## Image



### Western blot

All lanes: NSFL1C antibody at 6.3μg/ml

Lane 1: Mouse brain tissue

Lane 2: A431 whole cell lysate

Lane 3: 293T whole cell lysate


Lane 4: Rat liver tissue

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 41, 38, 29 kDa


Observed band size: 41, 130 kDa



Immunohistochemistry of paraffin-embedded

human testis tissue using CSB-

PA892163DSR1HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human lung cancer using CSB-PA892163DSR1HU at dilution of 1:100