




# TAF9 Antibody

<b>Product Code</b>	CSB-PA619078ESR1HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q16594
<b>Immunogen</b>	Recombinant Human Transcription initiation factor TFIID subunit 9 protein (1-264AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
<b>Purification Method</b>	Antigen Affinity Purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Transcription initiation factor TFIID subunit 9, RNA polymerase II TBP-associated factor subunit G, STAF31/32, Transcription initiation factor TFIID 31 kDa subunit, TAFII-31, TAFII31, Transcription initiation factor TFIID 32 kDa subunit, TAFII-32, TAFII32, TAF2G, TAFII31
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Epigenetics and Nuclear Signaling
<b>Target Names</b>	TAF9

## Image



### Western Blot

Positive WB detected in: MCF-7 whole cell lysate, 293T whole cell lysate, HeLa whole cell lysate, K562 whole cell lysate, A431 whole cell lysate


All lanes: AK6 antibody at 0.59µg/ml

Secondary


Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 21, 20 kDa

Observed band size: 21 kDa



Immunohistochemistry of paraffin-embedded human thyroid tissue using CSB-PA619078ESR1HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human skin tissue using CSB-PA619078ESR1HU at dilution of 1:100

## Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.