




# BST1 Antibody

<b>Product Code</b>	CSB-PA734093ESR2HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q10588
<b>Immunogen</b>	Recombinant Human ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 2 protein (29-293AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human, Mouse
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
<b>Purification Method</b>	Antigen Affinity Purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 2 (EC 3.2.2.6) (ADP-ribosyl cyclase 2) (Bone marrow stromal antigen 1) (BST-1) (Cyclic ADP-ribose hydrolase 2) (cADPr hydrolase 2) (CD antigen CD157), BST1
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Immunology
<b>Target Names</b>	BST1

## Image



Western blot

All lanes: BST1 antibody IgG at 1.47µg/ml +


Mouse lung tissue

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 36, 30 kDa

Observed band size: 36 kDa



Immunohistochemistry of paraffin-embedded human testis tissue using CSB-PA734093ESR2HU at dilution of 1:100

---

**Usage**

For Research Use Only. Not for use in diagnostic or therapeutic procedures.