



Recombinant Human Granulins (GRN)

Product Code	CSB-EP009939HU
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	P28799
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	≥85% (SDS-PAGE)
Sequence	TRCPDGQFCPVACCLDPGGASYSCCRPLLDKWPTTLSRHLGGPCQVDAHCS AGHSCIFTVSGTSSCCPFPEAVACGDGHHCCPRGFHCSADGRSCFQRSGNN SVGAIQCPDSQFECPDFSTCCVMVDGSGWCCPMPQASCCEDRVHCCPHGA FCDLVHTRCITPTGTHPLAKKLP AQR TNRAVALSSVMCPDARSRC PDGSTCC ELPSGKYGCCPMPNATCCSDHLHCCPQDTVCDLIQSKCLSKENATD DLLTKLP AHTVGDVKCDMEVSCPDGYTCCRLQSGAWGCCPFTQAVCCEDHIHCCPAGF TCDTQKGTCEQGP HQVPWMEKAPAHLSLPDPQALKRDVPCDNVSSCPSSDT CCRDNRQGWACCPYRQGVCCADRRHCCPAGFRCAARGTKCLRREAPRWD APLRDPALRQLL
Source	E.coli
Target Names	GRN
Protein Names	Recommended name: Granulins Alternative name(s): Proepithelin Short name=PEPIC Cleaved into the following 9 chains: 1. Acrogranin 2. Paragranulin 3. Granulin-1 Alternative name(s): Granulin G Granulin-2 Alternative name(s):
Expression Region	18-438aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Target Details	Granulins are a family of secreted, glycosylated peptides that are cleaved from a single precursor protein with 7.5 repeats of a highly conserved 12-cysteine granulin/epithelin motif. The 88 kDa precursor protein, progranulin, is also called proepithelin and PC cell-derived growth factor. Cleavage of the signal peptide produces mature granulin which can be further cleaved into a variety of active, 6 kDa peptides. These smaller cleavage products are named granulin A, granulin B, granulin C, etc. Epithelins 1 and 2 are synonymous with granulins A and B, respectively. Both the peptides and intact granulin protein regulate cell growth. However, different members of the granulin protein family may act as inhibitors, stimulators, or have dual actions on cell growth. Granulin family members are important in normal development, wound healing, and tumorigenesis.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final



concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.