





DOCK7 Antibody

| | |
|----------------------------|--|
| Product Code | CSB-PA836266LA01HU |
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q96N67 |
| Immunogen | Recombinant Human Dedicator of cytokinesis protein 7 protein (1440-1671AA) |
| Raised In | Rabbit |
| Species Reactivity | Human |
| Tested Applications | ELISA, WB, IF; Recommended dilution: WB:1:2000-1:5000, IF:1:50-1:200 |
| Form | Liquid |
| Conjugate | Non-conjugated |
| Storage Buffer | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Purification Method | >95%, Protein G purified |
| Isotype | IgG |
| Clonality | Polyclonal |
| Alias | Dedicator of cytokinesis protein 7, DOCK7, KIAA1771 |
| Immunogen Species | Homo sapiens (Human) |
| Research Area | Signal Transduction |
| Target Names | DOCK7 |

Image



Western Blot
Positive WB detected in: Jurkat whole cell lysate
All lanes: DOCK7 antibody at 3µg/ml
Secondary
Goat polyclonal to rabbit IgG at 1/50000 dilution
Predicted band size: 243, 242, 239, 240, 73 kDa
Observed band size: 243 kDa



Immunofluorescent analysis of HepG2 cells
using CSB-PA836266LA01HU at dilution of
1:100 and Alexa Fluor 488-conjugated
AffiniPure Goat Anti-Rabbit IgG(H+L)

