

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

BTK Antibody, FITC conjugated

Product CodeCSB-PA002867LC01HUStorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.Q06187ImmunogenRecombinant Human Tyrosine-protein kinase BTK protein (254-443AA)Raised InRabbitSpecies ReactivityHumanFormLiquidConjugateFITCStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction		
Uniprot No.Q06187ImmunogenRecombinant Human Tyrosine-protein kinase BTK protein (254-443AA)Raised InRabbitSpecies ReactivityHumanFormLiquidConjugateFITCStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Product Code	CSB-PA002867LC01HU
ImmunogenRecombinant Human Tyrosine-protein kinase BTK protein (254-443AA)Raised InRabbitSpecies ReactivityHumanFormLiquidConjugateFITCStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised InRabbitSpecies ReactivityHumanFormLiquidConjugateFITCStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Uniprot No.	Q06187
Species ReactivityHumanFormLiquidConjugateFITCStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Immunogen	Recombinant Human Tyrosine-protein kinase BTK protein (254-443AA)
FormLiquidConjugateFITCStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Raised In	Rabbit
ConjugateFITCStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Species Reactivity	Human
Storage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Form	Liquid
Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Conjugate	FITC
IsotypeIgGClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Storage Buffer	
ClonalityPolyclonalAliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Purification Method	>95%, Protein G purified
AliasTyrosine-protein kinase BTK (EC 2.7.10.2) (Agammaglobulinemia tyrosine kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Isotype	lgG
kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK, AGMX1 ATK BPKImmunogen SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Clonality	Polyclonal
Research Area Signal Transduction	Alias	kinase) (ATK) (B-cell progenitor kinase) (BPK) (Bruton tyrosine kinase), BTK,
	Immunogen Species	Homo sapiens (Human)
Target Names BTK	Research Area	Signal Transduction
•	Target Names	BTK

1