



Recombinant Human Charged multivesicular body protein 2a (CHMP2A)

Product Code	CSB-RP045244h
Relevance	Probable core component of the endosomal sorting required for transport complex III (ESCRT-III) which is involved in multivesicular bodies (MVBs) formation and sorting of endosomal cargo proteins into MVBs. MVBs contain intraluminal vesicles (ILVs) that are generated by invagination and scission from the limiting mbrane of the endosome and mostly are delivered to lysosomes enabling degradation of mbrane proteins, such as stimulated growth factor receptors, lysosomal enzymes and lipids. The MVB pathway appears to require the sequential function of ESCRT-O, -I,-II and -III complexes. ESCRT-III proteins mostly dissociate from the invaginating mbrane before the ILV is released. The ESCRT machinery also functions in topologically equivalent mbrane fission events, such as the terminal stages of cytokinesis and the budding of enveloped viruses (HIV-1 and other lentiviruses). ESCRT-III proteins are believed to mediate the necessary vesicle extrusion and/or mbrane fission activities, possibly in conjunction with the AAA ATPase VPS4. Involved in HIV-1 p6- and p9-dependent virus release.
Abbreviation	Recombinant Human CHMP2A protein
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	O43633
Alias	Chromatin-modifying protein 2a ;CHMP2aPutative breast adenocarcinoma marker BC-2Vacuolar protein sorting-associated protein 2-1 ;Vps2-1 ;hVps2-1
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	≥ 90% as determined by SDS-PAGE.
Sequence	MDLLFGRRKTPEELLRQNQRALNRAMRELD RERQKLETQEKKIADIKKMAKQ GQMDAVRIMAKDLVRTRRYVRKFVLMRANIQAVSLKIQTLKSNNSMAQAMKG VTKAMGTMNRQLKLPQIQKIMMEFERQAEIMDMKEEMMND AIDDAMGDEEDE EESDAVVSQVLDELGLSLTDELSNLPSTGGSL SVAAGGKKAEEAASALADADA DLEERLKNLRRD
Research Area	Transport
Source	E.coli
Target Names	CHMP2A
Expression Region	1-222aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at



4°C for up to one week.

Tag Info


N-terminal GST-tagged

Mol. Weight

52.1kDa

Protein Length

Full Length

Image

(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.