




Recombinant Human E3 ubiquitin-protein ligase COP1 (COP1)

Product Code	CSB-CF822821HU
Relevance	E3 ubiquitin-protein ligase that mediates ubiquitination and subsequent proteasomal degradation of target proteins. E3 ubiquitin ligases accept ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates. Involved in JUN ubiquitination and degradation. Directly involved in p53 (TP53) ubiquitination and degradation, thereby abolishing p53-dependent transcription and apoptosis. Ubiquitinates p53 independently of MDM2 or RCHY1. Probably mediates E3 ubiquitin ligase activity by functioning as the essential RING domain subunit of larger E3 complexes. In contrast, it does not constitute the catalytic RING subunit in the DCX DET1-COP1 complex that negatively regulates JUN, the ubiquitin ligase activity being mediated by RBX1. Involved in 14-3-3 protein sigma/SFN ubiquitination and proteasomal degradation, leading to AKT activation and promotion of cell survival. Ubiquitinates MTA1 leading to its proteasomal degradation.
Abbreviation	Recombinant Human COP1 protein
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	Q8NHY2
Storage Buffer	Lyophilized from Tris/PBS-based buffer, 6% Trehalose
Product Type	Transmembrane Proteins
Immunogen Species	Homo sapiens(Human)
Purity	≥ 90% as determined by SDS-PAGE.
Sequence	MSGSRQAGSGSAGTSPGSSAASSVTSASSSLSSSPSPPSVAVSAALVSGGV AQAAGSGGLGGPVRPVLVAPAVSGSGGGAVSTGLSRHSCAARPSAGVGGSS SSLGSGSRKRPLLAPLCNGLINSYEDKSNDFVCPICFDMIEEAYMTKCGHSFC YKCIHQSLLEDNRCPKCNVVDNIDHLYPNFLVNELILKQKQRFEEKRFLDHS VSSTNGHRWQIFQDWLGTDDQNDLANVNLMLLELLVQKKKQLEAESHAALQ ILMEFLKVARRNKREQLQIQKELSVLEEDIKRVEEMSGLYSPVSEDSTVPQFE APSPSHSSIIDSTEYSQPPGFSGSSQTKKQPWYNSTLASRRKRLTAHFEDLEQ CYFSTRMSRISDDSRASQLDEFQECLSKFTRYNSVRPLATLSYASDLYNGSSI VSSIEFDRDCDYFAIAGVTKKIKVYEYDVTIQDAVDIHYPENEMTCNSKISCISW SSYHKNLLASSDYEGTVILWDGFTGQRSKVYQEHEKRCWSVDFNLMDPKLLA SGSDDAKVKLWSTNLDNSVASIEAKANVCCVKFSPSSRYHLAFGCADHCVHY YDLRNTKQPIMVFKGHRKAVSYAKFVSGEEIVSASTDSQLKLWNVGKPYCLRS FKGHINEKNFVGLASNGDYIACGSENNSLYLYKGLSKTLLTFKFDTVKSVLKD DRKEDDTNEFVSAVCWRALPDGESNVLIAANSQGTIKVLELV



Research Area	Epigenetics and Nuclear Signaling
Source	in vitro E.coli expression system
Target Names	RFWD2
Protein Names	Constitutive photomorphogenesis protein 1 homolog Short name:hCOP1RING finger and WD repeat domain protein 2RING finger protein 200
Expression Region	1-731aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	N-terminal 6xHis-tagged
Mol. Weight	84.5kDa
Protein Length	Full Length

Image


(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.