




# PIPOX Antibody

<b>Product Code</b>	CSB-PA868381LA01HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q9P0Z9
<b>Immunogen</b>	Recombinant Human Peroxisomal sarcosine oxidase protein (259-337AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human, Mouse, Rat
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
<b>Purification Method</b>	>95%, Protein G purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Peroxisomal sarcosine oxidase (PSO) (EC 1.5.3.1) (EC 1.5.3.7) (L-pipecolate oxidase) (L-pipecolic acid oxidase), PIPOX, LPIPOX PSO
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Signal Transduction
<b>Target Names</b>	PIPOX

## Image



### Western Blot

Positive WB detected in: Rat kidney tissue, Rat liver tissue, Mouse brain tissue


All lanes: PIPOX antibody at 2.4µg/ml

Secondary


Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 45 kDa

Observed band size: 45 kDa



Immunohistochemistry of paraffin-embedded human liver cancer using CSB-PA868381LA01HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human tonsil tissue using CSB-PA868381LA01HU at dilution of 1:100

## Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.