

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com 🍙

TMCO1 Antibody, HRP conjugated

Product CodeCSB-PA891784LB01HUStorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.Q9UM00ImmunogenRecombinant Human Calcium load-activated calcium channel protein (43-Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISAFormLiquidConjugateHRPStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane and coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1, TMCC4
Uniprot No.Q9UM00ImmunogenRecombinant Human Calcium load-activated calcium channel protein (43-Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISAFormLiquidConjugateHRPStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
ImmunogenRecombinant Human Calcium load-activated calcium channel protein (43-Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISAFormLiquidConjugateHRPStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISAFormLiquidConjugateHRPStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane and coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
Species ReactivityHumanTested ApplicationsELISAFormLiquidConjugateHRPStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane and coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
Tested ApplicationsELISAFormLiquidConjugateHRPStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
FormLiquidConjugateHRPStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
ConjugateHRPStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
Storage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
Constituents: 50% Glycerol, 0.01M PBS, pH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
IsotypeIgGClonalityPolyclonalAliasCalcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
Clonality Polyclonal Alias Calcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
Alias Calcium load-activated calcium channel (CLAC channel) (Transmembrane coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
coiled-coil domain-containing protein 1) (Transmembrane and coiled-coil domains protein 4) (Xenogeneic cross-immune protein PCIA3), TMCO1,
Immunogen Species Homo sapiens (Human)
Research Area Others
Target Names TMCO1

1